



Catalogue 2021



GARDEN EQUIPMENT

Lawn tractor maintenance tools - Robotic lawn mower garage - Transport accessories - Gardening tools



Garden Equipment



Participate to your comfort and wellness **during & after** your gardening

Since 2010, **GARDEN EQUIPMENT** based in **France** (near Rennes) designs and distributes a range of products that makes easier the **garden maintenance**. It meets both the expectations and needs of nature professionals and individuals.

Gardening is a real source of pleasure, happiness, discovery and share, the maintenance of your tools should not waste the moment. The **lifetime** and the **performances** of your riding lawn mower depend not only on its brand or its utilization but also on **the proper maintain of your machine**.

Comfortable and simple to use, our range of products is the ultimate in riding lawn mowers maintenance tools for **easily lifting lawn tractor from 300 kg to 800 kg** and access the undercarriage (blade sharpening, belt replacement and debris removal...).

Our **patent products** are compatible with most riding mowers and lawn tractors, including zero turn models.

Paying attention to new needs, Garden Equipment had to develop a **range of robotic lawn mower garages** in order to protect those machines. Whatever the size and brand of your robotic lawn mower, our range will protect well your equipment.

Increase your comfort, efficiency and enjoy even more your garden!

CONTENTS



Lawn tractor maintenance tools

	Page
1. Cliplift	05
2. Cliplift MAGNUM	07
3. Cliplift PRO	09
4. The work table option (Cliplift PRO)	11
5. Clip'net, Clip'net + & Stainless steel scrapers	12
6. Comparative table	13
7. Spare parts & eco-responsible	14

Robotic lawn mower garage

	Page
1. Why a robotic lawn mower garage is a must-have	16
2. Robot protect C	17
3. Robot protect A & B	20
4. Robot protect XL	24
5. Comparative table	27

Accessories

	Page
1. Clip'block	29
2. Block' Moto - Motorcycle wheel chock	30
3. Ramp' Moto	31
4. Potlifter	32





 CLIPLIFT



 CLIPLIFT MAGNUM



 CLIPLIFT PRO

**Lawn tractor
maintenance tools**



WARRANTY ✓ 2 years

1/ Cleaning and maintenance

The CLIPLIFT helps to simplify the cleaning and the maintenance of your riding lawn mowers. This model can welcome tractors mowers not exceeding 300 kg / 660 Lb.

The lateral tilting provides a safe access to the mower deck.



2/ Easy and effortless

The CLIPLIFT can be moved easily thanks to its handle and large wheels. The hydraulic jack pump equipped with a foot pedal makes easier the tilting, without any effort.



*Limited warranty, 2-year residential use, 1-year commercial



3/ Double security

An active security with automatic interlocking, plus a safety support, allow you to carry out cleaning and maintenance tasks worry free. It comes with an adjustable strap for even more serenity.



4/ Secure and optimized storage

Supplied with hooking support and safety pin, the CLIPLIFT can easily be stored in a garage or a shelter garden.



Compatible with most riding mowers and lawns tractors, including zero turn models



Easy
to use



Safe
make maintenance
tasks worry free



Effortless
thanks to the hydraulic
jack pump



Ingenious
simple to carry and
storage



CLIFLIFT MAGNUM



WARRANTY ✓ 2 years

1/ Cleaning and maintenance

The CLIFLIFT MAGNUM is the perfect tool for making the maintenance of your riding lawn mowers, lawns tractors, including zero turn models. This model can welcome tractors mowers not exceeding 500 kg / 1100 Lb (maximum rear wheels track: 127 cm- 50 IN).



2/ Easy and effortless

With the hydraulic jack pump, the lateral tilting is effortless and safe. The ramps allow an easier access to the cradle. Practical, the CLIFLIFT MAGNUM can be moved easily thanks to its handle and large wheels.



*Limited warranty, 2-year residential use, 1-year commercial

3/ Double security

An active security feature with 3 levels of automatic interlocking, plus a safety support and an adjustable strap, allow you to carry out cleaning and maintenance tasks worry free.



4/ Secure and optimized storage

Supplied with hooking support and safety pin, the CLIPLIFT MAGNUM can easily be stored in a garage or a shelter garden.



Compatible with most riding mowers and lawns tractors, including zero turn models



Easy
to use



Safe
make maintenance
tasks worry free



Effortless
thanks to the hydraulic
jack pump



Ingenious
simple to carry and
storage



WARRANTY ✓ 2 years



SAFE AND MUCH MORE EFFICIENT!

Gardeners must respect deadlines for the maintenance of green and outdoors areas. Unexpected events happen and require immediate intervention. Transportable, the Cliplift PRO gives you the possibility to **examine the situation immediately** and avoid you to go back to the workshop for checking. You could remove debris, change the blade ... promptly.

In stores workshops, **repairers** play an important role in the profitability of the company by providing fast and good quality service. Good working conditions (**tools provided** and **safety during repairs**) increase their **efficiency**.

*Limited warranty, 2-year residential use, 1-year commercial

1/ Cleaning and maintenance



The CLIPLIFT PRO is a revolutionary tool, designed for nature professionals and Town halls. It is perfect for blade sharpening / substitution or all others riding lawn mowers maintenance tasks. It can welcome tractors mowers and zero turns that do not exceed 800 kg / 1800 Lb.


The lifting arm is adjustable, from 115 to 135 cm / 45 to 53 in (outside front wheels measurement).

2/ Easy and effortless


With the double hydraulic jack pump, the lifting is fast and easy. The CLIPLIFT PRO can be moved easily thanks to its 4 wheels and must be used on a stable and flat surface.

3/ Double security


The straps supplied will secure the tractors front wheels into the CLIPLIFT PRO's brackets. The locking pin provides an added safety while you clean the lawnmowers.



Compatible with most riding mowers and lawns tractors, including zero turn models



NO MORE TIME WASTED !





THE WORK TABLE OPTION




The work table option can change your hydraulic lawn mowers lift into a real mobile lifting platform (to work on any lawnmower, to put a generator, a chainsaw ...).

Dimensions of the work table: 65 x 85 cm / 25.6 x 33.5 in.

Maximum height: 80 cm / 31.5 in.

Maximum load: 60 Kg /132 lbs.



WARRANTY

✓ 2 years



Clip'net & Clip'net +



Clip'net et **Clip'net +** are the perfect tools for making the maintenance of your lawn mowers and riding lawn mowers. They help to make the task easier. You can easily and safely clean the deck.

Every year, we have thousands of injuries (the blade slides the skin or worse cuts the fingers because the thermo motor can turn around even the machine is turned off, they are the solution.

The Clip'net + has a claw that makes easier the removal of the accumulated grass that obstructs the lawnmower deck and the grass catcher.

Specifications

- Made in France and patented
- Easy to use and very comfortable
- Heads in steel, reinforced with rib
- Black zinc plated 10μ (rust protection)
- Varnished handle in beech, double gripping
- Unique on the market



Clip'net and Clip'net + in action

Stainless steel scraper

This scraper has many uses: terrace's paving stones, joint, lawn tractor's undercarriage...

Stainless steel knife 11 cm with beveled shape- handle 15 cm





COMPARATIVE TABLE



In order to select the appropriate CLIPLIFT, below a comparative table with specifications for helping you to choose and avoid to have an equipment undersized or oversized with your needs.

	CLIPLIFT	CLIPLIFT MAGNUM	CLIPLIFT PRO
Maximum weight of the lawn tractors	300 kg	500 kg	800 kg
Tilting	Lateral	Lateral	Frontal
Security straps	✓	✓	✓
Wheels	✓	✓	✓
Safety leg / pin	✓	✓	✓
Lift height	90 cm		
Lift angle	45°		
Maximum rear wheels track	105	127	135
Vertical storage	✓	✓	✗
Access ramps	✗	✓	✗
Work table option	✗	✗	✓
Weight of the equipment (in kg)	28	38	60



Cliplift

Up to 300 kg



Cliplift MAGNUM

Up to 500 kg



Cliplift PRO

Up to 800 kg

Maximum weight of the lawn tractors



SPARE PARTS & ECO RESPONSIBLE



In our eco-responsible process, we give you the possibility to buy spare parts in order to repair your device.

Why throw away a product when a spare part can give it a second life?

Reference	Designation
CLIPLIFT	
1015001	Hydraulic jack
1015011	Pedal holder
4012001	Safety support
5012001	Pedal
5012002	Active security kit
5013001	Base frame
5013002	Lifting cradle
5015001	Handling rollers with spacers
5016001	Piston
CLIPLIFT MAGNUM	
1015003M	Hydraulic jack
5012001M	Pedal holder
5012002M	Active security kit
5013001M	Base frame
5015001M	Handling rollers with spacers
5016002M	Piston
4012002M	Active security kit
5012015M	Support arch
5013002M	Lifting cradle
5013007M	Access ramps
CLIPLIFT PRO	
1015002P	Hydraulic jack
5016003P	Piston
5013003P	Left hand front wheel support
5013004P	Right hand front wheel support
5013006P	Lever

**Fully enjoy
your garden**

&

**Secure your
investment**



ROBO|PROTECT C



ROBO|PROTECT



ROBO|PROTECT XL

**Robotic lawn
mower garages**



Yes, robotic lawn mower garage is a must-have !

Sun

Indeed, your equipment will be safe from sun's ultraviolet rays (and moon). Thanks to its design, the air continues to circulate helping the good ventilation preventing from heat and humidity. If the battery is working with a temperature exceeding 30°C, the lifetime will be reduced by 20%. In the full sun, at 40°C lifetime is reduced to 40%. Robotic lawnmower screens are also **very sensitive to the sun**.

Protect your equipment against heat will really help to **achieve its optimum life expectancy** and even extend it.

Rain and sudden showers

Most of robotic lawn mowers are water resistant. Nevertheless, electronic circuits dislike humidity even more for an extended period of time. Generally, **your robot stays at least 16 hours per day** on its charging station (mostly set for working 4/5 days per week and few hours every day). Our Robot Protect is designed to let a good air circulation (recommended by the robotic lawn mower constructors).

Hails, thunder and falling tree branch

Without our Robot Protect, you are **exposing** your robot mower to **those dangers** and can cause serious damages to your machine or charging station. Good quality and resistant, our garage will protect them against those risks or at least reduce the damages.

Prying eyes and tossed balls

If your robotic lawn mower is outside day and night unattended, it may become an easy target for thieves. Even new models had an anti-theft system, robotic lawn mower can be considered as a **sign of wealth** and as the French proverb says: to live happily, live hidden.

Your neighbour kids or yours like playing balls in the garden. **Strength and accuracy may not always under control**, it may possible that the ball hits severally your equipment (and not only once).





ROBOT PROTECT C

**Robotic lawn
mower garage**

ROBOT PROTECT C

Anthracite
grey



Compact, Robot Protect C is the ideal protection for your robot mower. It has been developed for **small and medium robots**.

Compatible



-- Specification --

Max. height for the robot
25 cm

Length Width Height:
60 x 43 x 30 cm-- 4 kg

Inox base, composite
material covered by
aluminium sheet



Easy access to the base station



Opening roof system

ROBOT PROTECT, The MUST-HAVE garage!

Amazing piece of technology, a robotic lawn mower needs a garage in order to **sustainably and effectively protect them** against different **weather conditions** that could **make them prematurely obsolete**. Adapted for machines with lateral outlet or back up from the base station, it is compatible **Multi brands**.

2 opening systems provide free access to the robot: **the roof alone or the entire garage**. The closure of the roof is done with wing nuts.

4 anchoring points ensure a secure fastening. It is delivered with its manual and mounting kit in order to let you **assembly it easily and quickly**. Please see below a compatibility table (non exhaustive list).

BRANDS & MODELS	
ALKO®*	Robolinho E - 500
Ambrogio®*	L15 - L15 Deluxe - L60 B - L60 D
Bosch®*	Indego S+ 350 - 400 - 700
Cub Cadet®*	XR1 500
Gardena®*	SILENO City 300
Honda®*	HRM 40
Husqvarna®*	Automower 105 - 305 - 308
Kärcher®*	RLM 4
Landscape®*	LX 799
Mc Culloch®*	Rob 600
Robomow®*	RX 12 U - 20 U - Rx 20 pro - RX 50 U connect - RX 50 pro S
Stiga®*	M3 - M5 - M7 - 221 - 225S - 230S
Wolf Garten®*	Loopo S150 - S300
Worx®*	WR 130 E - 141 - 141 E - 142 - 143 - 900 E
Yard Force®*	SA 900 Eco - 400RI



In addition to protect your machine, it would give even more value to your garden




Resistant and good quality, our range is made in Europe



Max. height for the robot 25 cm

Length Width Height: 60 x 43 x 30 cm-- 4 kg



****ROBOT PROTECT** is compatible with the brands mentioned (trademarks owned by third parties and don't have any relation to the company GARDEN EQUIPMENT and its businesses).

They are used for ease of reference only and for inform to the customers the compatibility or the origin of the products presented.




ROBOT PROTECT

**Robotic lawn
mower garage**



ROBOT PROTECT

Grey & black



Your robotic lawn mower and its base station are subjected to **tremendous ordeals**. Wind, rain, cold, sun, hail, types of weather are various but all of their consequences have **bad impacts** on your equipment.



-- Specification --


Max. height for the robot
37 cm

Length Width Height:
65 x 65 x 40 cm-- 6 kg

Inox base, composite
material covered by
aluminium sheet



Easy access to the base station



Opening roof system

ROBOT PROTECT, the perfect garage!

Our garage **protects your robotic lawnmower** against effects of exposure to the sun & rain and helps to ensure its longevity. **Multi brands**, it is adapted for machines with lateral outlet or back up from the base station.

2 opening systems provide free access to the robot: **the roof alone or the entire garage**. The closure of the roof is done with wing nuts.

ROBOT PROTECT

Anthracite grey



Cover well the robotic
lawnmower

Compatible

Useful and aesthetic, our robotic lawnmower garage exists in 2 models (anthracite grey & light grey and light grey and black).



In addition to protect your robotic lawnmower, its distinguished design will highlight even more your garden



Resistant and good quality, our range is made in Europe



12 anchoring points ensure a secure fastening. It comes with its manual and mounting kit in order to let you **assembly it easily and quickly**.


Please see below a compatibility table (non exhaustive list).

BRANDS & MODELS	
ALKO®*	Robolinho 700 - 3000 Li-on
Ambrogio®*	L85
Cramer®*	RM1000 (62) RM1500
Cub Cadet®*	XR2 1000 XR2 1500
Gardena®*	SILENO + 1600 - R40Li - R70Li
Greenworks®*	Optimow 10 GRL110 Optimow 15
Husqvarna®*	Automower 310 - 315
Mc Culloch®*	R1000
Robomow®*	RC 304 U - 308 U - 308 U connect 308 Pro - RC 312 Pro S
Stihl®*	RMI 422 - 422 C - 422 PC
Viking®*	MI422 - MI422P
Wiper®*	C6 C8 - C12 - C16 - C 20 - JXH - XK
Wolf Garten®*	Loopo M 1500
Worx®*	WR 153



Max. height for the robot 37 cm

Length Width Height: 65 x 65 x 40 cm-- 6 kg



****ROBOT PROTECT** is compatible with the brands mentioned (trademarks owned by third parties and don't have any relation to the company GARDEN EQUIPMENT and its businesses).

They are used for ease of reference only and for inform to the customers the compatibility or the origin of the products presented.



ROBOT PROTECT XL

**Robotic lawn
mower garage**

ROBOT PROTECT XL

Anthracite grey



Compatible



-- Specification --

Max. height for the robot
39 cm

Length Width Height:
86 x 65 x 40 cm -- 7 kg

Inox base, composite
material covered by
aluminium sheet

Robot Protect XL is reserved for the **mastodons of the category**: robot mowers for large lawns. Subjected to **tremendous ordeals**, those machines, who are able to swallow thousands of square meters need shelter just as much to **ensure their longevity**.



Easy access to the base station



Opening roof system

ROBOT PROTECT XL, essential !

Our Robot Protect XL will allow your robotic lawn mower and its base to not be exposed to weather conditions (rains, hails, thunder or heat).

Universal, it is adapted for machines with lateral outlet or back up from the base station.

2 opening systems: roof alone or entire garage provide free access to the mower. The closure of the roof is done with wing nuts.

12 anchoring points ensure a secure fastening. It comes with its manual and mounting kit in order to let you **assembly it easily and quickly**.

Please see below a compatibility table (non exhaustive list).



In addition to protect your machine, it would give even more value to your garden



Resistant and good quality, our range is made in Europe



BRANDS & MODELS	
Bosch®*	Indego S+ 1000 - 1200
Cub Cadet®*	XR3 5000
Gardena®*	SILENO LIFE
Honda®*	Hrm 310 - 520 - 3000
Husqvarna®*	Automower 420 - 430X - 440
Stiga®*	528 S - 530 SG
Stihl®*	RMI 632 - 632 C - 632 P - 632 PC



Max. height for the robot 39 cm

Length Width Height: 86 x 65 x 40 cm--7 kg



****ROBOT PROTECT** is compatible with the brands mentioned (trademarks owned by third parties and don't have any relation to the company GARDEN EQUIPMENT and its businesses).

They are used for ease of reference only and for inform to the customers the compatibility or the origin of the products presented.



COMPARATIVE TABLE

You will find below a non-exhaustive list of compatible models (informative and indicative non-contractual value) with our Robot Protect A & B, C and XL.

Brands & models		Robot Protect C	Robot Protect A & B	Robot Protect XL
Alko ®*	Robolino E - 500	X	X	X
	Robolino 700 - 3000 Li-on		X	X
Ambrogio ®*	L15 - L15 Deluxe - L60B- L60 D	X	X	X
	L85		X	X
Bosch ®*	Indego S+ 350 - 400 - 700	X	X	X
	Indego S+ 1000 - 1200			X
Cramer ®*	RM1000 (62) - RM 1500		X	X
Cub Cadet ®*	XR1 500	X	X	X
	XR2 1000 - 1500 - 2000		X	X
	XR3 5000			X
Gardena ®*	SILENO City 300	X	X	X
	SILENO + 1600 - R40Li - R70Li		X	X
	SILENO LIFE			X
Greenworks ®*	Optimow 10 GRL110 Optimow 15		X	X
Honda ®*	Hrm 40	X	X	X
	Hrm 310 - 520 - 3000			X
Husqvarna ®*	Automower 105 - 305 - 308	X	X	X
	Automower 310 - 315		X	X
	Automower 420 - 430X - 440			X
Kärcher ®*	RLM 4	X	X	X
Landscape ®*	LX799	X	X	X
Mc Cullock®*	Rob 600	X	X	X
	Rob 1000		X	X
Novarden ®*	NRL550		X	X
Robomow ®*	RX 12 U - 20 U - Rx 20 pro - RX 50u connect - RX 50 pro S	X	X	X
	RC 304 U - 308 U - 308 U connect 308 Pro - RC 312 Pro S		X	X
	RS 615 U - 625 Pro - 625 Pro SV			X
Stiga ®*	M3 - M5 - M7 - 221 - 225S - 230S	X	X	X
	528 S - 530 SG			X
Stihl ®*	RMI 422 - 422 C - 422 PC		X	X
	RMI 632 - 632 C - 632 P - 632 PC			X
Viking ®*	MI422 - MI422P		X	X
Wiper ®*	C6 C8 - C12 - C16 - C 20 - JXH - XK		X	X
Wolf Garten ®*	Loopo S150 - S300	X	X	X
	Loopo M 1500		X	X
Worx ®*	WR 130 E - 141 - 141 E - 142 - 143 - 900 E	X	X	X
	WR 153		X	X
Yard Force ®*	SA 900 Eco - 400RI	X	X	X
Legend chart		inappropriate	X Recommended model	X Compatible model

***ROBOT PROTECT is compatible with the brands mentioned (trademarks owned by third parties and don't have any relation to the company GARDEN EQUIPMENT and its businesses).

They are used for ease of reference only and for inform to the customers the compatibility or the origin of the products presented.

CLIP'BLOCK



BLOCK' MOTO

accessories



CLIP'BLOCK

WHEEL LOCK



STOP the unwanted moves and prevent damages

The CLIP'BLOCK is perfect to secure the transportations of your machine. Very useful, it is compatible with many others tools: pressure washer, riding lawnmower, generator, cement mixer, snow blower or other wheeled devices.



Can be put on trailer floor

Specifications

- Easy to adjust (diameter of the wheel until 40 cm & 18 cm width)
- The base of the device can remain in place
- Fast and simple to install/uninstall



BLOCK' MOTO



WARRANTY ✓ 2 years

Our motorcycle wheel chock is perfect to **keep your vehicle upright and safe** (in a garage or outside) including while performing maintenance tasks. It also can be used for transporting on a trailer, on the deck of a boat or on a lifting table. With its flexible clamp, the chock is designed to hold vehicles with wheels 13 to 21 inches in diameter.


Structure in steel sheet, thickness 3mm, black lacquered.



Can also be fixed to the ground (outside or in a garage)



Compatible with most of **motocross, scooter or road motorbikes**





Ramp'mOTO



Load your motorcycle very easily

This motorcycle loading ramp rail helps to save space onto your truck or trailer.

- Fixing system to hold the ramp on the rail
- Anti-slip surface
- Easy to assemble

Specification

Length: 1.80 m for the rail and 2.0 m for the structure Inner width: 17 cm Max weight: 250 kg

Wheel diameter from 14 to 21 inches (rail + structure) Zinc plated steel structure



Ramp has a handle that makes it easy to use



POTLIFTER



How to move large flowerpots and others heavy objects?

Lifting straps for flowerpots

Innovating lifting straps for easily moving large and heavy objects.

This is a must have in order to put flowers inside when the winter is arriving and outside once after the good weather is arrived, move them as you really want.

Clever solution

Have you ever tried to move heavy flowerpot or other awkward-to-lift objects?

Everyone knows how it is hard, risky and dangerous.

Our revolutionary system will help you to transport objects up 90 kilos, whatever the form (gas bottle, fertilizer or cement, tree root balls, rock ...) and up to 2 meters for the circumference.






POTLIFTER



Easy to use



Take out the Potlifter from its storage bag. Then, pass two ends of the lifting straps around the flowerpot. Connect the ends using the specially designed clips. Lift up on the handles and move your pot. Thanks right balance and share of the load, you can easily move, tasks worry free.

Potlifter is a great gift for yourself, friends, family and all garden lovers.

The next time that you have to lift / move something large or heavy, keep your back safe by using Potlifter.

Keep your back safe and share the load with PotLifter!

- ✓ Fits the shape of the products that we have to load / move (heavy / large)
- ✓ Resistant and durable (helps you to lift up to 90 kg)
- ✓ Handles 34 cm each side in order to have a good catch in hand
- ✓ Let you move tasks worry free
- ✓ Easy to use and set up
- ✓ Diameter 70 cm





GARDEN EQUIPMENT

Z.I. du Plessis Beuscher – 35220 Châteaubourg – France

Tél. : +33(0)9 72 57 76 38 Fax : +33(0)9 72 57 76 42

contact@garden-equipment.fr

www.garden-equipment.fr

