



ROBOL PROTECT 2023 SEASON CATALOGUE

ROBOTIC MOWER GARAGES

MADE IN Europe









T DISCOVER OUR NEW GARAGE



GARDEN EQUIPMENT



SUMMARY









WHY IS IT ESSENTIAL TO PROTECT YOUR ROBOTIC LAWNMOWER?

The sun and ultraviolet rays

Robots will be sheltered from sun's ultraviolet rays (and moon). Thanks to their design, the air continues to circulate, favoring good ventilation to prevent stagnation of heat and humidity. If **the battery** is working with a temperature exceeding 30°C, its lifetime will be reduced by 20 %. Robotic mowers **screens are also very sensitive** to the sun and heat.

Protect your equipment against heat will really help to achieve its optimum life expectancy.

The rain and sudden showers

Most of robotic mowers are water resistant. However, electronic circuits dislike humidity even more for an extended period of time. Generally, your robot stays at least **16 hours per day on its charging station** (mostly set for working 4/5 days per week and few hours every day).

The hail, lightenings and falling branches

Many dangers are coming from the sky : lightning, hail, falling branches, tiles...

Without Robot Protect, you expose your device against these dangers that could cause significant damages on your robot and its charging station. Resistant and quality, our garages will protect them against those risks or at least reduce damages

Prying eyes and tossed balls

If your robotic mower is outside day and night unattended, it may become an easy target for thieves. Even if recent models are equipped with an anti-theft system, the automatic mower is an outward sign of wealth and as the French proverb says : "Live happily, live hidden"

Your neighbor kids or yours enjoy playing ball games in your garden. Strength and accuracy are not always under control, it may possible that the ball hits severally your equipment, robot or its charging station (and not only once).



ROBOI PROTECT C

ROBO PROTECT

Anthracite gre

Robot Protect C is the smallest model of the range. It enables an optimized protection to **small and medium robotic mowers**.

Amazing pieces of technology, a robotic lawn mower needs a garage to **sustainably and effectively** protect them against different weather conditions that could make them **prematurely obsolete**.



THE ROOF

THE FRONT

MADE IN Europe

Multi-brand, it is well adapted to robotic mowers, whether they exit from their charging station in reverse or from the side.

DIMENSIONS

Length x Width x Height : 60 x 43 x 30 cm - 4 kg Maximum robot height : 25 cm



Below, a non exhaustive list of the **compatible models** (informative and indicative value not contractual) :

MARQUES ET MODÈLES / BRANDS AND MODELS

ALKO®	ROBOLINHO E - 500	
AMBROGIO®	L15 - L60 - Série Twenty - Zeta R	
BOSCH®	S+ 350 - S+ 500 - XS300 - M700	
CRAMER®	RM800	
	XR1 500	
GARDENA®	SILENO Minimo - City	
GREENWORKS®	Optimow 4 - 5 - 7	
HONDA®	HRM 40 - HRM 70 live	
HUSQVARNA®	105	
McCULLOCH®	Rob 5500 - 5600 - 5800	
ROBOMOW®	Serie RX - Serie RT	
TECHLINE®	DX2 - LX2 - SX2 - S6 - L6 - D1	
WIPER®	Serie Blitz - Serie I - Serie I+ - Serie IR	
WOLF GARTEN®	Loopo \$150 - \$300	
YARD FORCE®	SA 900 Eco - 400RI	



OUR GARAGES ARE MADE IN EUROPE WITH NOBLE AND RESISTANT MATERIALS



The product is made of a composite material surrounded by two sheets of aluminum, which gives it a **strong resistance to weather, impacts and time**.

The **4** anchoring points of the Robot Protect C ensure a secure fastening on the ground. It is supplied with a manual to allow a quick and easy installation.





Robot Protect A & B are our "intermediate size" garage, It protects the robots **against severe weather and the shocks** (balls, falling branches...).



AN ELEGANT LOOK THAT WILL ENHANCE YOUR GARDEN

Your **robotic mower** and its **base station** will be subjected to **tremendous ordeals**. Wind, rain, cold, sun and any bad **weather patterns** are different but are all harmful for your device.



ROBOL PROTECT B

In order to give you more choices, 2 colors are available for this model (anthracite grey or black and grey).

2 opening systems let you a **free access** to the robot : the roof alone or the full garage. It will makes easier all **adjustments and checks** on the robot and its charging station.



ROBO PROTECT

/ & Black



THE ROOF



MADE IN Europe

FULL GARAGE

For an effective fastening on the ground, our garages Robot Protect A or B have 12 anchoring points.

DIMENSIONS

Lenght x Width x Height : 65 x 65 x 40 cm - 6 kg Maximum robot height : 37 cm

ROBO PROTECT

Robot Protect garages have been designed to **welcome a maximum of models**. 3 sizes have been created to optimize the adaptation regarding **protection and aestheticism**.

Below, a non exhaustive list of the **compatible models** (non-contractual, informative and indicative) :

MARQUES ET MODÈLES / BRANDS AND	MODELS
---------------------------------	--------

ALKO®	ROBOLINHO 700 - 1100 - 3100 - 4100		
AMBROGIO®	L85 - L32 - L35 - L250 - Série 4.0 - Quad		
CRAMER®	RM1000 - RM1500 - RM2000 - RM2700		
CUB CADET®	XR2 1000 - 1500 - 2000		
GARDENA®	SILENO+ 1600 - 440Li - R70Li		
GREENWORKS®	Optimow 10 GRL110 - Optimow 15		
HUSQVARNA®	Automower 305 - 310 - 315(X) - 405X - 415X		
KRESS ROBOTIC®	Mission 1000 - 1500 - 2000		
McCULLOCH®	Rob R600 - R1000		
ROBOMOW®	Serie RC		
STIGA®	M3 - M5 - M7 - 221 - 2255 - 2305		
STIHL®	RMI 422 - RMI 522		
TECHLINE®	L25i - S25i - D25 - DZ2 - BZ2 - DZ3 - DX2.5 - LX2.5 - DX2.9 - LX2.9 - LQ		
WIPER®	Serie C - Serie F - JXH - XK - Q		
WOLF GARTEN®	Loopo M 1000 - 1500 - 2000		
WORX®	Landroid S300 - M500 - M700 - L1000 - L1500 - L2000		



2 COLORS ARE AVAILABLE TO GIVE YOU MORE CHOICE





Compatible with robotic mowers with lateral outlet and back up from the station



THE MATERIALS QUALITY AND THEIR DESIGN MAKE THE GARAGES ROBUSTS



acite gr

EUROP

ROBOL PROTECT XL

Robot Protect XL is reserved for mastodons of its category : robotic mowers with high mowing capacity.

Under strain, theses machines, capable of swallowing thousands of square meters, also needs garages to ensure their longevity through time.



ROBOT PROTECT XL IS COMPATIBLE THE MAJORITY OF BRANDS AND MODELS

Multi-brand compatible, Robot Protect XL is adapted to lateral outlets as well as back up from the base station.



ROBOLPROTECT





12 anchoring points ensure to Robot Protect XL an excellent fixation on the ground. It is delivered with the fixation kit and a manual in order to make **installation easy and quick**.

Below, a non exhaustive list of the **compatible models** (non-contractual, informative and indicative) :

MARQUES ET MODÈLES / BRANDS AND MODELS

AMBROGIO®	L350 - Serie 4.36		
BOSCH®	Indigo S+ 1000 - 1200		
CUB CADET®	XR5 1000 - 2000		
GARDENA®	SILENO Life - Sileno+ (2021)		
HONDA®	HRM 310 - 520 - 3000		
HUSQVARNA®	Automower 420 - 430 X - 440 - 450X - 520 - 550 (EPOS)		
KRESS®	Mission MEGA		
ROBOMOW®	Serie RK - Serie RS		
STIGA®	5285 - 530SG		
STIHL®	RMI 632 - 632 C - 632 P - 632 PC		
TECHLINE®	LX4 - BX4 - L35i - LX6		
WIPER®	Serie K - KS - P - KXLS		





THANKS TO THE OPENING SYSTEMS, YOU CAN EASILY ACCESS TO THE BASE STATION.

A natural ventilation is possible thanks to the smart conception of the garage





COMPATIBILITY TABLE

Non exhaustive list of the suitable models *

MARQUES	ET MODÈLES / BRANDS AND MODELS	ROBOT PROTECT C	ROBOT PROTECT A & B	ROBOT PROTECT
	ROBOLINHO E - 500	x	x	x
ALKO®	ROBOLINHO 700 - 1100 - 3100 - 4100	_	x	x
	L15 - L60 - Serie Twenty	x	x	X
MBROGIO®	L85 - L35 - L250 - Série 4.0 - Quad	-	x	x
	L350 - Serie 4.36			x
	S+ 350 - S+ 500 - XS300 - M700	x	x	x
BOSCH®	Indigo S+ 1000 - 1200			x
	RM800	x	x	x
RAMER®	RM1000 - RM1500		x	x
	XR1 500	x	x	X
UB CADET®	XR2 1000 - 1500 - 2000		x	x
	XR5 1000 - 2000			x
	SILENO Minimo - City	x	x	x
ARDENA®	SILENO+ 1600 - 440Li - R70Li		x	x
	SILENO Life			x
REENWORKS®	Optimow 10 - Optimow 15		x	X
	HRM 40 - HRM 70 Live	x	x	X
IONDA®	HRM 310 - 520 - 3000	1		x
	Automower 105	x	x	x
IUSQVARNA®	Automower 305 - 310 - 315(X) - 405X - 415X		x	x
	Automower 420 - 430X - 440 - 450X - 520 - 550 (EPOS)			x
KRESS ROBOTIC®	Mission KR101E - KR110 - KR111 - KR112 - KR113 - KR120E - KR121E - KR122E - KR123E		x	x
	Mission Mega			x
	Rob 5500 - 5600 - 5800	x	x	X
AcCULLOCH®	Rob R600 - R1000		x	x
	Serie RX - Serie RT	x	х	x
OBOMOW®	Serie RC		x	x
	Serie RK - Serie RS			x
	M3 - M5 - M7 - 221 - 225 S - 230 S		x	x
TIGA®	528 S - 530 SG			x
	RMI422 - 522 C		x	X
TIHL®	RMI 632			x
2- 1-	D X2 - L X2 - S X2 - S6 - L6 - D1	x	x	x
ECHLINE®	L25i - S25i - D25 - DZ2 - BZ2 - DZ3 - DX2.5 - SX2.9 - Q		x	x
	L X4 - B X4 - L35i - L X6			x
Ē.	Serie Blitz - I	x	x	x
VIPER®	Serice C - Serie F - JHX - XK		x	x
	Serie K - KS - P			x
	Loopo \$150 - \$300	×	x	x
WOLF GARTEN®	Loopo M1000 - 1500 - 2000		x	x
NORX®	Landroid \$300 - M500 - M7000 - L1000 - L1500 - L2000		x	x
				La la
	x			
	Recommanded Compatible	Inapi	propriate	

*Those Robot Protect products are compatible with the mentioned brands (trademarks owned by third parties which have not any relation with Garden Equipment and its businesses). They are used for ease of reference to help the customer about the compatibility and the origin of the presented product.



The Robot Protect Life garage will **protect your robot** efficiently from weather conditions and will be a **real planter** to grow aromatics, decorative plants, strawberries...

It will protect your robotic mower and its charging station from bad weather and especially from overexposure to the sun (anti-UV protection) to **ensure the longevity** of your device.





IN HARMONY WITH YOUR GARDEN

PLANTER MAX LOAD : UP TO 20 KG

Multi-brand, it adapts to mowing robots that leave their base in lateral as well as back up. Both convenient and aesthetic, this product made in Europe has 7 anchoring points to ensure a good fixation on the ground.





You will find in the manual all the instructions that will help you to assemble it quickly and easily.

Below, a non exhaustive list of the **compatible models** (non-contractual, informative and indicative) :


ALKO®	ROBOLINHO E500 - 700 - 1100 - 3100 - 4100		
AMBROGIO®	L15 - L60 - Série Twenty - L32 - L35 - L250 - Série 4.0 - Quad		
BOSCH®	S+350 - S+500 - XS300 - M700		
CRAMER®	RM800 - RM1000 - RM1500		
CUB CADET®	XR1 500 - XR2 1000 - XR2 1500 - XR2 2000 - XR5 1000 - XR5 200		
GARDENA®	Sileno+ - Minimo - City - 1600 - 440Li - R70Li - Life		
GREENWORKS®	Optimow 4 - 5 - 7 - 10 - 15		
HONDA®	Miimo HRM40 - HRM70 - HRM310 - HRM520		
HUSQVARNA®	Automower 105 - 305 - 310 - 315(X) - 405X - 415X		
KRESS ROBOTIC®	Mission Nano - 1000 - 1500 - 2000		
McCULLOCH®	Rob 5500 - 5600 - 5800 - R600 - R1000		
ROBOMOW®	Serie RX - RT - RC - RK		
STIGA®	M3 - M5 - M7 - 221 - 2255 - 2305 - 5285 - 5305G		
STIHL®	RMI 422 - RMI 522		
TECHLINE®	DX2 - SX2 - LX2 - S6 - L6 - D1 - L25i - S25i - D25 - DZ2 - BZ2 - DZ3 - DX2.5 - DX2.9 - Q - LX4 - BX4		
WIPER®	Série Blitz - Série I - Série C - Série F - JXH - XK - Série K - KS		
WOLF GARTEN®	Loopo \$150 - \$300 - M1000 - M1500 - M2000		
WORX®	Landroid \$300 - M500 - M700 - L1000 - L1500 - L2000		
YARD FORCE®	SA 900 Eco - 400RI		



LET YOUR IMAGINATION RUN WILD WITH ROBOT PROTECT LIFE



THE GARAGE HAS BEEN DESIGNED SO THAT WATER DRAINS OUTSIDE





The **Robot Protect Side** protects side-charging robots from the effects of **exposure to rain and sun** (UV protection) to ensure their longevity. A robotic mower must be effectively protected from weather conditions, which affect its **lifespan** and **performance** over time.



THE OPENING SYSTEM WILL ALLOW EASY ACCESS TO THE ROBOT AND THE BASE STATION

Its **opening system** allows access to the charging station and to the robot when needed. It is sometimes necessary to access it to carry out various manipulations, or during installation for example.









The special feature of the Robot Protect Side is that it has been designed and conceived for robotic mowers that are **parked sideways** in their base.

Its design and dimensions allow it to be compatible with the majority of the robots of this type* :



MARQUES ET MODÈLES / BRANDS AND MODELS		
ALKO®	ROBOLINHO E500 - 700 - 1100 - 3100 - 4100	
KRESS ROBOTIC®	KR101E - KR110 - KR111 - KR112 - KR113 - 120E - 121E - 122E - 123E	
WORX®	Landroid S300 - M500 - M700 - L1000 - L1500 - L2000	



The 6 anchoring points kit provides a great fixation on the ground, which is essential in strong winds.





Supplied with the manual, the Robot Protect Side is very quick and easy to assemble, regardless of your DIY skills.



*This Robot Protect product is compatible with the mentioned brands (trademarks owned by third parties which have not any relation with Garden Equipment and its businesses). They are used for ease of reference to help the customer about the compatibility and the origin of the presented product.



FIND US ON WWW.ROBOT-PROTECT.COM





Z.I du Plessis Beuscher - 35220 Châteaubourg - FRANCE Phone : +33(0)9 72 57 76 38 - Fax : +33(0)0 72 57 76 42 contact@garden-equipment.fr