Lawn mower tractors equipments - Robotic mowers garages - Gardening









www.garden-equipment.fr







GARDEN EQUIPMENT

SEASON 2022

CATALOGUE



"Because gardening has to remain a source of pleasure, discovery and sharing."

For more than 10 years, GARDEN EQUIPMENT based in France (near Rennes) designs and distributes a range of products that makes easier the garden maintenance.

Our purpose is clear: offer innovating and quality products that will make your life easier, answering to individual and nature professional expectations.

The maintenance of your tools should not ruined your enjoying gardening moment. The lifetime and the performances of your mower (tractor or robot) depend not only on its brand or its utilization but also on the proper maintain of your machine.

Comfortable and simple to use, our range of products is the ultimate in riding lawn mowers maintenance tools for **easily lifting lawn tractor** from 300 kg to 800 kg and access the undercarriage (blade sharpening, belt replacement and debris removal...).

Our patented products are compatible with most riding mowers and lawn tractors, including zero turn models.

Always attentive to new needs, Garden Equipment has developed a large choice of **design garages** to **protect** your robotic lawn mowers. Whatever the size or the brand, our **Robot Protect** range will protect your equipment.

Improve your comfort, efficiency and enjoy even more your garden!



SUMMARY



CLIPLIFT hydraulic lawn mower lifts	Page
Cliplift	04
Cliplift Magnum	06
Cliplift Pro	08
Work table option for Cliplift Pro	10
Comparative table	11
Clip'net, Clip'net + and stainless steel scrapers	12
Spare parts	13
ROBOT PROTECT robotic mower garages	Page
Why is a garage essential?	15
Robot Protect C	16
Robot Protect A & B	18
Robot Protect XL	21
Compatibility table	23
Robot Protect Life *NEW*	24
Potlifter	Page
Potlifter, lifting straps for flowerpots	27
Transport accessories	Page
Clip'Block	30
Block'Moto	31
Ramp' Moto	32

HYDRAULIC LAWN MOWER LIFTS AND ACCESSORIES









PATENTED







Cleaning and maintenance

The CLIPLIFT helps to simplify the cleaning and the maintenance of your riding lawn mowers. The lateral tilting provides a safe access to the mower deck. This model can welcome tractors mowers not exceeding 300 kg / 660 Lb.





Easy and effortless

The hydraulic jack pump equipped with a foot pedal makes easier the tilting, without any effort. The CLIPLIFT can be moved easily thanks to its handle and large wheels.





Double security

It has an active security with an automatic interlocking and a safety support. It allows you to carry out cleaning and maintenance tasks worry free. It comes with an adjustable strap for even more serenity.



Stockage sécurisé et optimal

Supplied with hooking support and a safety pin, CLIPLIFT can easily be stored in a garage or a garden shed.









COMPATIBLE WITH MOST OF RIDING MOWERS, INCLUDING ZERO TURN MODELS







Cleaning and maintenance

CLIPLIFT MAGNUM is the perfect tool for making the maintenance of your lawn mower tractors and zero turn. This model can lift mower riding lawn mowers **weighing up to 500 kgs / 1100 lbs** (maximum rear wheels track: 127 cm - 50 in).





Easy and effortless

The ramps allow an easier access to the cradle. With the hydraulic jack pump, the lateral tilting is effortless and safe.





Double security

An active security feature 3 levels of automatic interlocking, plus a safety support and an adjustable strap. It will allows you to carry out cleaning and maintenance taks worry free.



Secure and optimized storage

Handy, CLIPLIFT MAGNUM is easily moving thanks to its handle and large wheels.

Supplied with a hooking support and safety pin, it can easily be stored in a garage or a garden shed.









COMPATIBLE WITH MOST OF RIDING MOWERS, INCLUDING ZERO TURN MODELS







SAFE AND MUCH MORE EFFICIENT!

Gardeners must respect deadlines for the maintenance of green and outdoors areas. Unexpected events happen and require an immediate intervention. Transportable, Cliplift PRO will give you the possibility to **examine the situation instantly** and avoid you to go back to the workshop for checking. You could directly remove debris, change the blade...

In store workshops, **mechanics repairers play an important** role in the profitability of the company by providing fast and good quality service. Good working conditions (**tools provided** and **safety during repairs**) **increase their efficiency**.









Double security

The straps supplied will secure the tractors front wheels into the Cliplift PRO's brackets. The locking pin provides an added safety while you clean the lawnmowers.



Easy and effortless

With the double hydraulic jack pump, the lifting is fast and easy. Cliplift PRO can be moved easily thanks to its 4 wheels and must be used on a stable and flat surface.







Cleaning and maintenance

Cliplift PRO is a revolutionary tool, designed for nature professionals and town halls. It is perfect for blade sharpening / substitution or all other riding lawn mowers maintenance tasks. It can welcome mower tractors weighing up to 800 kgs / 1800 lbs!

The lifting arm is adjustable, from 115 to 135 cm / 45 to 53 in (outside front wheels measurement).





*2 year warranty for individuals and one year for professionals



THE WORK TABLE OPTION

The work table option can change your Cliplift PRO into a real mobile lifting platform. It enables to work on any lawnmower, to put a generator, a chainsaw...).

Dimensions: 65 x 85 cm / 25,6 x 33,5 in

Maximum height:: 80 cm/31,5 in Maximum load: 60 kgs/132 lbs







CLIP'NET



CLIP'NET +



Clip'net & **Clip'net** + are the perfect tools for cleanning the cutting deck of your mower (push or riding mower). It makes task way easier and secure.

Clip'net + has a claw, that makes more simple the removal of accumulated grass that obstructs the lawnmower deck and the grass catcher.





Specifications

- Patented and made in France
- Easy to use and comfortable
- Heads and claw (CLIP'NET +) in steel reinforced with rib
- Black zinc plated 10µ (rust protection)
- Varnished handle in beech, double gripping
- 54 cm / 330 grams

STAINLESS STEEL SCRAPER

This scraper has many uses, it is perfect to clean the cutting deck of a mower, terrace paving stones, weeds...

Stainless steel knife 11 cm with beveled shape - Handle: 15 cm



COMPARATIVE TABLE

In order to choose the most suitable CLIPLIFT mower lift, here is a comparative table with specifications for helping you to select and avoid to have an equipment undersized or oversized with your needs.

	CLIPLIFT	CLIPLIFT MAGNUM	CLIPLIFT PRO
MAXIMUM WEIGHT OF THE LAWN TRACTOR	300 kgs	500 kgs	800 kgs
TILTING	Lateral	Lateral	Frontal
SECURITY STRAP	1	/	V
WHEELS	/	/	1
SAFETY LEG / PIN	V	1	1
LIFT HEIGHT	90 cm		
LIFT ANGLE		45°	
MAXIMUM REAR WHEELS TRACK	105 cm	127 cm	135 cm
VERTICAL STORAGE	1	/	X
ACCESS RAMPS	X	/	X
WORK TABLE OPTION	X	X	1
WEIGHT OF THE EQUIPMENT	28 kgs	38 kgs	60 kgs







SPARE PARTS ECO RESPONSIBILITY



In our eco-responsible process, we give you the possibility of buy spare parts in ord repair your device.

Why would you part with your device when one single piece could give it a second life?

DESIGNATION	REFERENCE N		
CLIPLIFT			
HYDRAULIC JACK	1015001		
PEDAL HOLDER	1015011		
SAFETY SUPPORT	4012001		
PEDAL	5012001		
ACTIVE SECURITY KIT	5012002		
BASE FRAME	5013001		
LIFTING CRADLE	5013002		
HANDLING ROLLERS WITH SPACERS	5015001		
PISTON	5016001		
CLIPLIFT MAGNU	M.		
HYDRAULIC JACK	1015003M		
PEDAL	5012001 M		
ACTIVE SECURITY KIT	5012002M		
BASE FRAME	5013001 M		
HANDLING ROLLERS WITH SPACERS	5015001 M		
PISTON	5016002M		
SAFETY SUPPORT	4012002M		
SUPPORT ARCH	5012015M		
LIFTING CRADLE	5013002M		
ACCESS RAMPS	5013007M		
CLIPLIFT PRO			
HYDRAULIC JACK	1015002P		
PISTON	5016003P		
LEFT HAND FRONT WHEEL SUPPORT	5013003P		
RIGHT HAND FRONT WHEEL SUPPORT	5013004P		
LEVER	5013006P		

GARAGES FOR ROBOTIC LAWN MOWER

MULTI-BRAND COMPATIBILITY





MULTI-BRAND

MADE IN EUROPE

RESISTANT











Yes, a garage for the robotic lawn mower is essential!

Sun

Robots will be sheltered from sun's ultraviolet rays (and moon). Thanks to their design, the air continues to circulate, favoring good ventilation to prevent stagnation of heat and humidity. If the battery is working with a temperature exceeding 30°C, liftetime will be reduced by 20 %. Robotic lawn mower **screens** are also very **sensitive to the sun and heat**.

Protect your equipment agains heat will really help to **achieve its optium life expectancy** and even extend it.

Rain and sudden showers

Most of robotic lawn mowers are water resistant. However, electronic circuits dislike humidity even more for an extended period of time. Generally, your robot stays **at least 16 hours per day** on its charging station (mostly set for working 4/5 days per week and few hours every day).

Hail, lightning and falling branches

Many dangers are coming from the sky: lightning, hail, falling branches, tile...

Without Robot Protect, you expose your device against these dangers that could cause significant damages on your robot and its charging station. Resistant and quality, our garages will protect them against those risks or at least reduce damages.

Prying eyes and tossed balls

If your robotic mower is outside day and night unattended, it may become an easy target for thieves. Yes, recent models are equipped with an anti-theft system, the automatic mower is an outward sign of wealth and as the French proverb says: "Live happily live hidden"

Your neighbor kids or yours enjoy playing ball games in your garden. Strength and accuracy are not always under control, it may possible that the ball hits severally your equipment, robot or its charging station (and not only once).







Robot Protect C is the smallest model of the range. It enables an optimized protection to **small and medium robotic mowers**.

Amazing pieces of technology, a robotic lawn mower needs a garage to **sustainably and effectively** protect them against different weather conditions that could make them **prematurely obsolete**.



Opening roof system



Easy access to the station

aluminium sheet

Robot maximum height: 25 cm

Length x Width x Height: 60 x 43 x 30 cm -- 4 kg



Specifications

Inox base, composite material covered by

Multi-brand, it is adapted for lateral outlets as well as back up from the base station.



The 4 anchoring points of the Robot Protect C ensure a secure fastening on the ground. It is supplied with a mounting kit and a manual to allow a quick and easy installation.

Below, a non exhaustive list of the compatible models *:

ROBOTP	ROTECT C		
COMPATIBLE BRANDS AND MODELS			
ALKO®	ROBOLINHO E - 500		
AMBROGIO®	L15 - L60 - Série Twenty		
BOSCH®	S+ 350 - S+ 500 - XS300 - M700		
CRAMER®	RM800		
CUB CADET®	XR1 500		
GARDENA®	SILENO Minimo - City		
HONDA®	HRM 40 - HRM 70 live		
HUSQVARNA®	105		
McCULLOCH®	Rob S500 - S600 - S800		
ROBOMOW®	RX 12 U - 20 U - RX 20 PRO - RX 50 U connect - RX 50 PRO S		
STIGA®	M3 - M5 - M7 - 221 - 225S - 230S		
TECHLINE®	D X2 - L X2 - S X2 - S6 - L6 - D1		
WIPER®	Serie Blitz - I		
WOLF GARTEN®	Loopo S150 - S300		
YARD FORCE®	SA 900 Eco - 400RI		



Resistant, our garages are made in Europe with noble materials



An elegant design that will fit perfectly in your garden



A natural ventilation is possible thanks to the smart conception of the garage



* This Robot Protect product is compatible with the mentioned brands (trademarks owned by third parties which have not any relation with Garden Equipment and its businesses). They are used for ease of reference to help the customer about the compatibility and the origin of the presented product.

Anthracite grey

MADE IN
EUROPE

Robot Protect A & B are our "intermediate size" garage, It protects the robots against **severe weather and the shocks** (balls, falling branches...).



An elegant look that will enhance your garden

Your **automatic lawn mower** and **its base station** will be subjected to **tremendous ordeals**. Wind, rain, cold, sun and any **bad weather patterns** are different but are all **harmful** for your device.

Specifications

Inox base, composite material covered by aluminium sheet

Robot maximum height: 37 cm

Length x Width x Height: 65 x 65 x 40 cm -- 6 kg







Specifications

Inox base, composite material covered by aluminium sheet

Robot maximum height: 37 cm

Length x Width x Height: 65 x 65 x 40 cm -- 6 kg



In order to give you more choices, 2 colors are available for this model (Anthracite and grey or black and grey).

2 opening systems let you a free access to the robot : the roof alone or the full garage. It will makes easier all **adjustments and checks** on the robot and its charging station.



Opening roof system



Full opening system

For an effective fastening on the ground, our garages Robot Protect A or B have **12 anchoring points**.



Robot Protect garages have been designed to welcome a maximum of models. 3 sizes have been created to optimize the adaptation regarding protection and aestheticism.

Below, a non exhaustive list of the compatible models * (non-contractual, informative and indicative):





Robot Protect B is the black & grey alternative of Robot Protect A



The materials quality and their design make the garages robust



Compatible with robotic mowers with lateral outlet and back up from the station



^{*} This Robot Protect product is compatible with the mentioned brands (trademarks owned by third parties which have not any relation with Garden Equipment and its businesses). They are used for ease of reference to help the customer about the compatibility and the origin of the presented product.





Robot Protect XL is reserved for mastodons of its category: Robotic mowers with high mowing capacity.

Under strain, theses machines, capable of swallowing thousands of square meters, also needs garages to **ensure their longevity through time.**



Multi-brand compatible, Robot Protect XL is adapted to **lateral outlets as well as back up from the base station.**

Specifications

Inox base, composite material covered by aluminium sheet

Robot maximum height: 39 cm

Length x Width x Height: $86 \times 65 \times 40 \text{ cm} - 7 \text{ kg}$






12 anchoring points ensure to Robot Protect XL an excellent fixation on the ground. It is delivered with the fixation kit and a manual in order to make installation easily and guickly.

Below, a non exhaustive list of the compatible models *:





Thanks to the opening systems (roof only and the full garage), you can easily access to the base station.





Zoom on materials used for the Robot Protect garages



* This Robot Protect product is compatible with the mentioned brands (trademarks owned by third parties which have not any relation with Garden Equipment and its businesses). They are used for ease of reference to help the customer about the compatibility and the origin of the presented product.



COMPARATIVE TABLE

Non exhaustive list of the suitable models *

	BRAND AND MODELS	ROBOT PROTECT C	ROBOT PROTECT A & B	ROBOT PROTEC
0.002.5	ROBOLINHO E - 500	x	x	х
ALKO®	ROBOLINHO 700 - 1100 - 3100 - 4100		х	х
	L15 - L60 - Série Twenty	x	x	x
AMBROGIO®	L85 - L35 - L250 - Série 4.0 - Quad		x	х
	L350 - Série 4.36			x
harana	S+ 350 - S+ 500 - XS300 - M700	x	x	х
BOSCH®	Indigo S+ 1000 - 1200			X
60.11150. 0	RM800	X	x	х
CRAMER®	RM1000 - RM1500		X	х
	XR1 500	×	х	Х
CUB CADET®	XR2 1000 - 1500 - 2000		х	Х
	XR5 1000 - 2000			X
	SILENO Minimo - City	X	x	х
GARDENA®	SILENO+ 1600 - 440Li - R70Li		x	х
	SILENO Life			X
GREENWORKS®	Optimow 10 GRL110 - Optimow 15		х	х
	HRM 40 - HRM 70 Live	x	х	X
HONDA®	HRM 310 - 520 - 3000			X
	Automower 105	x	x	х
HUSQVARNA®	Automower 305 - 310 - 315(X) - 405X - 415X		х	х
	Automower 420 - 430X - 440 - 450X - 520 - 550 (EPOS)			X
JOHN DEERE®	Tango E5			X
(RESS ROBOTIC®	Mission KR101E - KR110 - KR111 - KR112 - KR113 - KR120E - KR121E - KR122E - KR123E		x	х
	Rob 5500 - 5600 - 5800	x	x	X
McCULLOCH®	Rob R600 - R1000		x	х
	RX12 U - 20 U - RX20 Pro - RX50 U - RX50 Pro S	X	X	Х
ROBOMOW®	RC304 U - 308 U - 308 Pro - RC312 Pro S		x	х
	RK1000 - RK2000			х
CT10.1.6	M3 - M5 - M7 - 221 - 225 S - 230 S	x	x	x
STIGA®	528 S - 530 SG			x
	RMI422 - 522 C		X	x
STIHL®	RMI 632			X
	D X2 - L X2 - S X2 - S6 - L6 - D1	X	х	Х
TECHLINE®	L25i - S25i - D25 - DZ2 - BZ2 - DZ3		X	х
	L X4 - B X4 - L35i - L X6			x
VIKING®	MI422 - MI422 P		x	Х
	Serie Blitz - I	X	х	X
WIPER®	Serice C - Serie F - JHX - XK		×	х
	Serie K - KS - P			х
	Loopo S150 - S300	X	x	х
WOLF GARTEN®	Loopo M1000 - 1500 - 2000		x	х
WORX®	Landroid S300 - M500 - M7000 - L1000 - L1500 - L2000		×	х
YARD FORCE®	SA 900 ECO - 400RI	X	x	×

X
Recommended Suitable Inappropriate

^{*} This Robot Protect product is compatible with the mentioned brands (trademarks owned by third parties which have not any relation with Garden Equipment and its businesses). They are used for ease of reference to help the customer about the compatibility and the origin of the presented product.





The Robot Protect Life garage will **protect your robot efficiently** from weather conditions and will be a **real planter** to grow herbs, decorative plants, strawberries...

It will protect your robotic mower and its charging station from bad weather and especially from overexposure to the sun (anti-UV protection) to **ensure the longevity** of your device.



In harmony with your garden



Planter max load: Up to 20 kg

Multi-brand, it adapts to mowing robots that leave their base in lateral as well as back up.

Specifications

Inox base, composite material covered by aluminium sheet

Robot maximum height: 38cm

Length x Width x Height: Inner usable dimension 73,5 x 59 x 40 cm -- 9 kg





Both practical and aesthetic, this product **made in Europe** has 7 anchoring points to ensure a good fixation on the ground. The fixing kit and the instructions will enable you to assemble it quickly and easily.

Below, a non exhaustive list of the compatible models *:

	ROBOT PROTECT Je	
	COMPATIBLE BRANDS AND MODELS	
ALKO®	ROBOLINHO E500 - 700 - 1100 - 3100 - 4100	
AMBROGIO®	L15 - L60 - Série Twenty - L32 - L35 - L250 - Série 4.0 - Quad	
BOSCH®	S+350 - S+500 - XS300 - M700	
CRAMER®	RM800 - RM1000 - RM1500	
CUB CADET®	XR1 500 - XR2 1000 - XR2 1500 - XR2 2000 - XR5 1000 - XR5 2000	
GARDENA®	Sileno+ - Minimo - City - 1600 - 440Li - R70Li - Life	
GREENWORKS®	Optimow 10 GRL110 - Optimow 15	
HONDA®	Miimo HRM40 - HRM70 - HRM310 - HRM320	
HUSQVARNA®	Automower 105 - 305 - 310 - 315(X) - 405X - 415X	
KRESS ROBOTIC®	KR101E - KR110 - KR111 - KR112 - KR113 - 120E - 121E - 122E - 123E	
McCULLOCH®	Rob S500 - S600 - S800 - R600 - R1000	
ROBOMOW®	RX12 - RX20 - RX50 - RC304 - RC308 - RC312 - RK1000 - RK2000	
STIGA®	M3 - M5 - M7 - 221 - 225\$ - 230\$ - 528\$ - 530\$G	
STIHL®	RMI 422 - RMI 522	
TECHLINE®	DX2 - SX2 - LX2 - S6 - L6 - D1 - L25i - S25i - D25 - DZ2 - BZ2 - DZ3 - LX4 - BX4	
VIKING®	MI422 - MI422 P	
WIPER®	Série Blitz - Série I - Série C - Série F - JXH - XK - Série K - KS	
WOLF GARTEN®	Loopo S150 - S300 - M1000 - M1500 - M2000	
WORX®	Landroid S300 - M500 - M700 - L1000 - L1500 - L2000	
YARD FORCE®	SA 900 Eco - 400RI	



A strengthened structure





Aromatics, decorative plants, flowers...

Let your imagination run wild with

Robot Protect Life



The garage has been designed so that the water drains outside











* This Robot Protect product is compatible with the mentioned brands (trademarks owned by third parties which have not any relation with Garden Equipment and its businesses). They are used for ease of reference to help the customer about the compatibility and the origin of the presented product.

LIFTING STRAPS FOR FLOWERPOTS AND HEAVY OBJECTS



EASY

N. C.

INNOVATING




PATENTED







How to move a heavy flowerpot?



Patented lifting straps system

Potlifter is an innovating lifting straps system to **easily move** heavy and bulky flowerpots or various objects.

This product is an essential to bring your plants home on **winter**, take them out for **sunny days** and to move them as you wish all year long.





A smart solution

Did you ever try to move a heavy flowerpots or any bulky objects?

Everyone knows how it is difficult and risky for your health (back, sprains...).

This **innovating system** of lifting straps for flowerpots will enable you to move objects weighing up to 90 kg, whatever the shape (**gaz cylinder, fertilizer bag, wood...**) and up to 2 meters in circumference.











Fast and easy to use

Unclip the hooks and surround the object to be moved at both ends. All you have to do is pull on the handles to tighten the straps. The good balance of the load allows easy and safe movement.

The Potlifter is an ideal gift for yourself, your family and friends who love gardening.

Get your back safe and share the load with Potlifter

- Fit the shape of the object that you have to move
- Resistant & durable (load capacity up to 90 kg)
- Handles 34 cm each side in order to have a good catch in hand
- Let you move tasks worry free even on a steep ground
- Easy to set up and use
- 70 cm in diameter







TRANSPORT ACCESSORIES





SMART



DURABLE



UNIVERSAL



CLIPBLOCK









STOP unwanted movements and prevent damages

Clip'Block lets you transport your machines safety. Very useful, it is compatible with many devices / tools: tractor mower, snow thrower, concrete mixer, generator, high pressure washer or other wheeled devices.



Can be installed on the bed of a trailer



Specifications

Easily adjustable: Wheel diameter up to 40 cm and width up to 18 cm

Quick and easy installation / uninstallation

The base of the device can remain in place

BLOCK MOTO

Our motorcycle and scooter wheel lock is **ideal for secure vertical parking** (in a garage or outside), especially during maintenance tasks on your engine.

It can also be used for **transport** on a classic trailer, a cargo compartment of a motorhome, on the deck of a boat or a lifting table.






Wheel is locked by a tilting caliper, adjustable according to the diameter of the wheel from 13 to 21 inches.

Structure in sheet steel (3mm thick). Black lacquered.







Ramp'moto







Makes it easier to get your motorcycle onto a trailer

This rail ramp combination will save you space in the truck or trailer.

- Fixing system to hold the ramp to the rail
- Anti-slip surface
- Easy to assemble




Specifications

Length: 180 cm for the rail and 200 cm for the structure

Wheel diameter: 14 to 21 inches (rail + structure)

Rail + Structure: 16 kg

Inner bottom: 17 cm
Max weight: 250 kg
Zinc-plated steel structure





Your gardening and green areas maintenance equipments specialist.

Find us online:

www.garden-equipment.fr www.robot-protect.com



Z.I du Plessis Beuscher - 35220 Châteaubourg - France

Téléphone: +33(0)972577638-Fax: +33(0)072577642

contact@garden-equipment.fr

